

Avant FS







A80336MS0H

A80336MS0W

Ø4,5/3L



ES EN



40

(mm)

ES

- Antes de empezar la instalación, asegúrese de leer este manual. Las piezas deben ser instaladas de acuerdo a las instrucciones.
 - Los requisitos mínimos para la instalación son una presión de al menos 2 bar y un caudal de agua de 14 litros por minuto.
 - Se recomienda instalar un reductor de presión en la toma de agua dedicada al aparato cuando la presión de la red de agua excede los 6 bar.
 - No utilizar otra manguera de suministro de agua distinta a la que se incluye con el producto. El uso de otra manguera podría comprometer el funcionamiento del equipo.
-


EN

- Before installation, read thoroughly this installation manual. All parts must be installed according to the instructions.
 - The minimum requirements for installation are a pressure of at least 2 bar and a water flow rate of 14 litres per minute.
 - It is recommended to install a pressure reducer on the water inlet dedicated to the appliance when the water network pressure exceeds 6 bars.
 - Do not use any other water supply hose other than the one provided with the product. The use of another hose could compromise the operation of the equipment
-




Importante! Verificar caudal antes de instalar Warning! Check water flow rate before installation

1



2



3



< 2,3 L

< 14 L/min

Instalación no apta

Inadequate installation




> 2,3 L

> 14 L/min

Instalación apta



Adequate installation















Conexiones alternativas de evacuación

Alternative drainage connection


A  Incluído Included	
B  Opcional Optional	




A



B



X1



X1



X2



X4



X4



X1




X2




X1



X1



X1





X1




Conexión hidráulica

Pipes

Conexión vista
Unhidden option






Opción oculta
Hidden option








1





2



3



4



B

Y


X

$Y \approx 10 \rightarrow X = 45$



$Y \geq 14 \rightarrow X = 60$

(mm)


5



Asegurar estanqueidad
Ensure tightness




6




B





1




1









1




2




3




9




10




11




12




13



14



15



16

