



VARIANTS

6151FZ | Washbasin faucet, 6 V, Bluetooth

6151FZ | WASHBASIN FAUCET, 6 V, BLUETOOTH

Oras Electra

EANCODE

6414150094125

ACTIVEMARKETAREAS

INT, FIN, NOR, SAE, DNK, POL,
RUS, EST, LTU, LVA, UKR



Oras Electra

More than 30 years of experience in electronic faucets truly shows in Oras Electra, our most widely used and versatile touchless faucet family. Oras introduced the touchless faucets in the public premises already in the 1990s, and in the 21st century, the electronic faucets have rapidly become more common also in the household use. With touchless faucets, water consumption can be reduced by half, while user-friendliness and hygiene rise to a whole new level.

Features

Aerator

Hidden aerator, Aerated stream, PCA®-constant flow rate regardless of pressure variations

Connection

Flexible inlet pipes

Electronic parts

Autofocus infrared sensor, Solenoid valve, Low battery indicator

Lever/Handle

Temperature control handle

Mechanical parts

Mixing valve for manual temperature control, Non-return valve(s), Litter filter(s)

Special features

Software settings adjustable via App

Spout

Fixed spout, Casted construction

Color

Chrome

Temperature

Adjustable hot water stop (included, retrofittable)

Software settings

Afterflow period

3 s (1-20 s)

Automatic flush

off (off/1-120 h)

Automatic flush period

30 s (1-1800 s)

Max. flow period

2 min (1 - 1800 s)

Flow attributes

Flow-rate at 300 kPa (with flow controller)

0.1 l/s

Pressure loss with flow (0.1 l/s)

200 kPa

Technical properties

Connection size

G3/8

Hot water supply

max. +70°C

Material

Brass

Projection

110 mm

Working pressure

100 - 1000 kPa

Electronics

Battery

Lithium 2CR5 6 V

Regulations

EMC Directive
2014/53/EU

Noise class
I (ISO 3822)

Protection class
IP 55

Approvals

STF
EUFI-RTH-00031-11

KWASE
1622